QC Display: poes_n15_20030105.txt 00:00 400 mg Si 200 mg Si 200 mg Si 200 mg Si 200 mg Si 06:00 18:00 22:00 00:00 04:00 20:00 SSLAT, degrees 20 15 10 5 0 L-value 400 300 200 100 0 MLT degrees 200 150 100 50 0 degrees PASQ 10⁶ MEP0E1, MEP0E2, MEP0E3 counts/sec 10⁴ 10³ 10² 10¹ 10⁰ 10⁶ 10⁵ 10⁴ 10³ 10² counts/sec 10⁰ 10⁶ 10⁴ 10³ 10² 10¹ counts/sec $10^{0} \\ 10^{-1} \\ 10^{6} \\ 10^{5} \\ 10^{4} \\ 10^{3} \\ 10^{2} \\ 10^{1}$ MEP90P3, MEP90P4, MEP90P5, MEP90P6 counts/sec 10⁰ 10⁻¹ 10⁵ MEPOMP6, MEPOMP7, 10⁴ counts/sec 10³ 10² 10¹ 10° 10°1 10°3 10°2 10°1 10°1 10°2 ergs/cm²sec 10^{-3} 10^{-4} 10^{5} 10^{4} 10^{3} 10^{2} 10^{1} e< 0.0 00:00 04:00 06:00 08:00 10:00 12:00 16:00 18:00 20:00 02:00 14:00 22:00 00:00 January 05, 2003 (Universal Time)